

Авторска справка за цитиранията

на научните публикации на гл. ас. д-р Вяра Идакиева Стоянова

Идакиева, В. 2001. Склерактинии от Ловешката ургонска група (Българенска свита) от района на В. Търново - Габрово (Централен Предбалкан). - *Год. Соф. Унив., Геол.-геогр. фак.*, 94, 1, 2-25.

цитира се в:

1. Morycowa, E., Masse, J.-P. 2009. Lower Cretaceous Microsolenina (Scleractinia) from Provence (southern France). – *Annales Societatis Geologorum Poloniae*, 79, 97-140.
2. Löser, H. 2013. Late Aptian (Cretaceous) corals from Central Greece. – *N. Jb. Geol. Paläont. Abh.* 267, 1, 89-116.
3. Baron-Szabo, R. C. 2014. Scleractinian Corals from the Cretaceous of the Alps and Northern Dinarides with remarks on related taxa. – *Abh. Geol. B.-A.*, 68, 296 p., Vienna.

Idakieva, V. 2007. Taxonomy of scleractinian corals from the Barremian-Lower Aptian of Central North Bulgaria (Lovech Urgonian Group). – *Ann. Univ. de Sofia, Fac. Geol.-geogr.*, 100, 1, 29-66.

цитира се в:

1. Baron-Szabo, R. C. 2014. Scleractinian Corals from the Cretaceous of the Alps and Northern Dinarides with remarks on related taxa. – *Abh. Geol. B.-A.*, 68, 296 p., Vienna.

Идакиева, В., Иванов, М. 2002. Коралови постройки в Смочанска свита (Ургонски комплекс, долната крепа) около гр. Ловеч (Централна Северна България). – *Год. Соф. унив., Геол.-геогр. фак.*, 95, 1, 31-46.

цитира се в:

1. Ilcheva, A., Motchurova-Dekova, N. 2011. Catalogue of type collections of Early Cretaceous corals (Scleractinia, Anthozoa) at the National Museum of Natural History, Sofia. – *Rev. Bulg. Geol. Soc.*, 72, 1-3, 129-140.
2. Ruban, Dm. A. 2014. Taxonomic diversity dynamics of Early Cretaceous brachiopods and gastropods in the Azerbaijani domains of the Lesser Caucasus (Neo-Tethys Ocean) – *Annales Geologiques de la Péninsule Balkanique*, 75, 17-31.

Idakieva, V., Tchetchmedjieva, V. 2003. *Wellsimeandra* gen. nov du Barremian de la région de Veliko Tarnovo (Prebalkan Central). – *C. R. Acad. Bulg. Sci.*, 56, 1, 61-66.

цитира се в:

1. Morycowa, E., Masse, J.-P. 2009. Lower Cretaceous Microsolenina (Scleractinia) from Provence (southern France). – *Annales Societatis Geologorum Poloniae*, 79, 97-140.

2. Löser, H. 2013. Critical review of the Trochoidomeandridae family (Scleractinia; Cretaceous) and the genera *Felixigyra*, *Rhipidomeandra*, *Trochoidomeandra*, and *Wellsimeandra*. – *Palaeodiversity*, 6, 9-21.

Иванов, М., Стойкова, К., **Идакиева, В.** 2009. Ревизия на амонитните критерии за границата Юра-Креда в България. – *Сборник. разширени резюмета от Нац. конф. Геонауки, 2009*. С. Изд. Бълг. геол. д-во, БУЛГЕД ООД, 57-58.

цитира се в:

1. Nikolov, T., Minkovska, V. 2012. The Lower Cretaceous in Bulgaria: Review. – *Revue de Paleontologie*, Geneve, Vol, spec., 11, 77-87.
2. Аркадьев, В.В. 2012. Корреляционный потенциал аммонитовой зоны Jacobi и граница юры и мела. – *Меловая система России и ближнего зарубежья: проблемы стратиграфии и палеогеографии*. Сб. Науч. трудов (ред. Барабошинин, Е.Ю., Барабошинин, К.Е., Бондаренко, Н.А.). Материалы Шестого Всероссийского совещание. Геледжиц, 2012. Краснодар, Изд-во Кубанского го- университета, 17-20.
3. Аркадьев, В.В., Богданова, Т.Н., Гужиков, А.Ю., Лобачева, С.В., Мышкина, Н.В., Платонов, Е.С., Савельева, Ю.Н., Шурекова, О.В., Янин, Б. Т. 2012. *Берриас Горного Крыма*. Санкт-Петербург, Издательство „ЛЕМА”, 472 с.

Иванов, М., Стойкова, К., **Идакиева, В.** 2010. Нови биостратиграфски данни за горния титон и долния бериас в част от Краището (Югозападна България). – *Год. Соф. унив. Геол.-геогр. фак.*, 102, 1, 21-41.

цитира се в:

1. Аркадьев, В.В., Богданова, Т.Н., Гужиков, А.Ю., Лобачева, С.В., Мышкина, Н.В., Платонов, Е.С., Савельева, Ю.Н., Шурекова, О.В., Янин, Б. Т. 2012. *Берриас Горного Крыма*. Санкт-Петербург, Издательство „ЛЕМА”, 472 с.
2. Bujtor, L., Krische, O., Gawlick, H.-J. 2013. Late Berriasian ammonite assemblage and biostratigraphy of the Leube quarry near Salzburg (Northern Calcareous Alps, Austria). - *N. Jb. Geol. Paläont. Abh.*, 267, 3, 273-295.
3. Frau, C., Bulot, L., Wimbleton, W. 2015. Upper Tithonian Himalayitidae Spath, 1925 (Perisphinctoidea, Ammonitina) from Le Chouet (Drome, France): implications for the systematics. – *Geologica Carpathica*, 66, 2, 117-132.
4. Frau, C., Bulot, L.G., Rehakova, D., Wimbleton, W., Ifrim, C. 2016. Revision of the ammonite index species *Berriasella jacobi* Mazonot, 1939 and its consequences for the biostratigraphy of the Berriasian Stage. – *Cretaceous Research*, 66, 94-116.
5. Frau, C., Bulot, L.G., Wimbleton, W., Ifrim, C. 2016. Upper Tithonian ammonites (Himalayitidae Spath, 1925 and Neocomitidae Salfeld, 1921) from Charens (Drome, France). – *Geologica Carpathica*, 67, 6, 543-559.

Ivanov, M., **Idakieva, V.** 2010. Ammonite criteria for the Jurassic-Cretaceous boundary in Bulgaria – a review and new data. – „4-th French Congress on Stratigraphy – Strati-2010”, Abstracts, 30 August – 3 September, Paris, 2010, 134-136.

цитира се в:

1. Bujtor, L., Krische, O., Gawlick, H.-J. 2013. Late Berriasian ammonite assemblage and biostratigraphy of the Leube quarry near Salzburg (Northern Calcareous Alps, Austria). – *N. Jb. Geol. Paläont. Abh.* 267, 3, 273–295.

Fenerci-Masse, M., Masse, J.-P., Kołodziej, B., Ivanov, M., **Idakieva, V.** 2011. *Mathesia darderi* (Astre) (Bivalvia, Hippuritoidea, Monopleuridae): Morphological, biogeographical and ecological changes in the Mediterranean domain during the late Barremian-Albian. – *Cretaceous Research*, 32, 407-421.

цитира се в:

1. Skelton, P. W., Gili, E. 2012. Rudists and carbonate platforms in the Aptian: A case study on biotic interactions with ocean chemistry and climate. – *Sedimentology*, 59, 1, 81-117.
2. Pascual-Cebrian, E., Hennhofer, D.K., Gotz, S. 2013. High resolution and true colour grinding tomography of rudist bivalves, exemplified with the taxonomic revision of *Mathesia darderi* (Astre). – *Caribbean Journal of Earth Science*, 45, 35-46.
3. Horikx, M., Heimhofer, U., Dinis, J., Huck, S. 2014. Integrated stratigraphy of shallow marine Albian strata from the southern Lusitanian Basin of Portugal. – *Newsletters on Stratigraphy*, 47, 1, 85-106.
4. Bover-Arnal, T., Pascual-Cebrian, E., Skelton, P., Gili, E., Salas, R. 2015. Patterns in the distribution of Aptian rudists and corals within a sequence-stratigraphic framework (Maestrat Basin, E Spain). – *Sedimentary Geology*, 321, 86-104.
5. Horikx, M., Huck, S., Adatte, T., Heimhofer, U. 2017. Vegetation dynamics, angiosperm radiation and climatic changes in the Lusitanian Basin (Portugal) during Albian times. – *Palaeogeography, Palaeoclimatology, Palaeoecology*, 465, 30-41.

Reboulet, S., Rawson, P.F., Moreno-Bedmar, J.A., Aguirre-Urreta, B., Barragán, R., Bogomolov Y., Company, M., González-Arreola, C., **Idakieva, V.**, Lukeneder, A., Martrion, B., Mitta, V., Vasicek, Z., Baraboshkin, E.J., Bert, D., Bersac, S., Bogdanova, T., Bulot, L., Latil, J.-L., Mikhailova, I., Ropolo, P., Szives, O. 2011. Report on the 4th International Meeting of the IUGS Lower Cretaceous Ammonite Working Group, the “Kilian Group” (Dijon, France, 30st August 2010). – *Cretaceous Research*, 32, 786-793.

цитира се в:

1. Adnet, S., Guinot, G., Cappetta, H., Welcomme, J.-L. 2012. Oldest evidence of bramble sharks (Elasmobranchii, Echinorhinidae) in the Lower Cretaceous of southeast France and the evolutionary history of orbitostylic sharks. – *Cretaceous Research*, 35, 81-87.

2. Janssen, N.M.M., Clément, A., Bont, W. 2012. Mediterranean Neocomian belemnites, part 4: belemnites of the Barremian stratotype section. – *Carnets de Géologie*, 12, 201-274.
3. Lehmann, J., Friedrich, O., von Bargen, D., Hemker, T. 2012. Early Aptian bay deposits at the southern margin of the Lower Saxony Basin: Integrated stratigraphy, palaeoenvironment and OAE 1a. – *Acta geologica Polonica*, 62, 1, 35-62.
4. Matsukawa, M., Sendon, S.V., Mateer, F.T., Sato, T., Obata, I. 2012. Early Cretaceous ammonite fauna of Catanduanes Island, Philippines. – *Cretaceous Research*, 7, 261-271.
5. Moullade, M., Tronchetti, G., Balme, Ch., Mauroux, P. 2012. A new upper Bedoulian section in the Aptian stratotypic area: Croagnes (5 km NW of Gargas, Vaucluse, SE France). – *Carnets de Géologie*, 12, 193-199.
6. Ogg, J.G., Hinnov, L.A. (contributor: C. Huang). 2012. Chapter 27. Cretaceous. – In: *The Geologic Time Scale 2012*. F.M. Gradstein, J.G. Ogg, M. Schmitz, G. Ogg (Eds.). Amsterdam, Boston, Heidelberg, London, New York, Oxford. Elsevier, 792-853.
7. Owen, H.G. 2012. The Gault Group (Early Cretaceous, Albian), in East Kent, S.E. England; its lithology and ammonite biozonation. – *Proceedings of the Geologists' Association*, 123, 5, 742-765.
8. Price, G.D., Harwood, E. 2012. Isotopic analysis of belemnites and brachiopods from the Cretaceous (Albian) Hunstanton Red Chalk Formation (Hunstanton, Norfolk, UK). – *Proceedings of the Geologists' Association*, 123, 3, 479-485.
9. Skelton, P. W., Gili, E. 2012. Rudists and carbonate platforms in the Aptian: A case study on biotic interactions with ocean chemistry and climate. – *Sedimentology*, 59, 1, 81-117.
10. Аркадьев, В.В. 2012. Корреляционный потенциал аммонитовой зоны Jacobi и граница юры и мела. – *Меловая система России и ближнего зарубежья: проблемы стратиграфии и палеогеографии*. Сб. Науч. трудов (ред. Барабошнин, Е.Ю., Барабошнин, К.Е., Бондаренко, Н.А.). Материалы Шестого Всероссийского совещание. Геледжик, 2012. Краснодар, Изд-во Кубанского го- университета, 17-20.
11. Clément, A. 2013. Revision of the species *Hemidiadema rugosum* AGASSIZ, 1846, and *H. neocomiense* (COTTEAU, 1869) (Euechinoidea, Camarodonta, Glyptocyphidae) from the Lower Cretaceous of the Basin of Paris (France). – *Carnets de Géologie*, 13, 1-57.
12. Corbella, M., Gomez-Rivas, E., Martín-Martín, J.-D., Salas, R., Teixell, A., Griera, A., Travé, A., Cardellach, E. 2013. Insights to controls on dolomitization by means of reactive transport models applied to the Benicàssim case study (Maestrat Basin, eastern Spain). – *Petroleum Geoscience*, 20, 41-54.
13. Elkhazri, A., Abdallah, H., Razgallah, S., Moullade, M., Kuhnt, W. 2013. Carbon-isotope and microfaunal stratigraphy bounding the Lower Aptian Oceanic Anoxic Event 1a in northeastern Tunisia. – *Cretaceous Research*, 39, 133-148.
14. Gaona-Narvaez, T., Maurrasse, F.J.M.R., Etayo-Serna, F. 2013. Geochemistry, palaeoenvironments and timing of Aptian organic-rich beds of the Paja Formation

- (Curití, Eastern Cordillera, Colombia). – *Geological Society, London, Spec. Publ.*, 382, 31-48.
15. Graziano, R. 2013. Sedimentology, biostratigraphy and event stratigraphy of the Early Aptian Oceanic Anoxic Event (OAE1A) in the Apulia Carbonate Platform Margin – Ionian Basin System (Gargano Promontory, southern Italy). – *Cretaceous Research*, 39, 78-111.
 16. Godet, A., Follmi, K. B., Bodin, S., Adatte, T. 2013. Reply to the discussion by Charollais et al. on “Reconciling strontium-isotope and K–Ar ages with biostratigraphy: the case of the Urgonian platform, early cretaceous of the Jura mountains, western Switzerland” by Godet et al. (2011), Swiss Journal of Geosciences, 104, 147-160. – *Swiss Journal of Geosciences*, 106, 3, 569-580.
 17. Lazo, D.G., Luci, L. 2013. Revision of Valanginian Steinmanellinae bivalves from the Neuquén basin, West-central Argentina, and their biostratigraphic implications. – *Cretaceous Research*, 45, 60-75.
 18. Masse, J.-P., Fenerci-Masse, M. 2013. Bioevents and palaeoenvironmental changes in carbonate platforms: The record of Barremian “Urgonian” limestones of SE France. – *Palaeogeography, Palaeoclimatology, Palaeoecology*, 386, 637-651.
 19. Mojon, P.-O., Musolino, A., Bucher, S., Claude, B. 2013. New data on the Valanginian - Hauterivian Ammonites from the stratotypical area of Neuchâtel (Swiss Jura Mountains): Biostratigraphic implications. – *Carnets de Géologie*, 13, 237-254.
 20. Peybernes, C., Giraud, F., Jaillard, E., Robert, E., Masrour, M., Aoutem, M., Icame, N. 2013. Stratigraphic framework and calcareous nannofossil productivity of the Essaouira-Agadir Basin (Morocco) during the Aptian–Early Albian: Comparison with the north-Tethyan margin. – *Cretaceous Research*, 39, 149-169.
 21. Skelton, P.W., Granier, B., Moullade, M. 2013. Introduction to thematic issue, “Spatial patterns of change in Aptian carbonate platforms and related events”. – *Cretaceous Research*, 39, 1-5.
 22. Scott, R.W., Formolo, M., Rush, N., Owens, J.D., Oboh-Ikuenobe, F. 2013. Upper Albian OAE 1d event in the Chihuahua Trough, New Mexico, U.S.A. – *Cretaceous Research*, 46, 136-150.
 23. Clavel, B., Charollais, J., Busnardo, R., Granier, B., Conrad, M., Desjacques, P., Metzger, J. 2014. La plate-forme carbonatée urgonienne (Hauterivien supérieur – Aptien inférieur) dans Sud-Est de la France et Suisse: a synthèse. – *Archives des Sciences*, 67, 1-97.
 24. Ghirardi, J., Deconinck, J.-F., Pellenard, P., Martinez, M., Bruneau, L., Amiotte-Suchet, P., Puceat, E. 2014. Multi-proxy orbital chronology in the aftermath of the Aptian Oceanic Anoxic Event 1a: Palaeoceanographic implications (Serre Chaitieu section, Vocontian Basin, SE France). – *Newsletters on Stratigraphy*, 47, 3, 247-262.
 25. Granier, B. 2014. Comment on “Early Aptian paleoenvironmental evolution of the Bab Basin at the southern Neo-Tethys margin: Response to global carbon-cycle perturbations across Ocean Anoxic Event 1a” by K. Yamamoto et al. – *Geochem. Geophys. Geosyst.*, 15, 2086-2090.

26. Li, X., Jenkyns, H. C., Zhang, C., Yin, W., Ling, L., Kao, C. 2014. Carbon-isotope signatures of pedogenic carbonates from SE China: Rapid atmospheric pCO₂ changes in mid–late Early Cretaceous time. – *Geological Magazine*, 151, 830-849.
27. Mutterlose, J., Bodin, S., Fähnrich, L. 2014. Strontium-isotope stratigraphy of the Early Cretaceous (Valanginian–Barremian): Implications for Boreal–Tethys correlation and paleoclimate. – *Cretaceous Research*, 50, 252-263.
28. Sanchez-Hernandez, Y., Maurrasse, F. J-M. R. 2014. Geochemical characterization and redox signals from the latest Barremian to the earliest Aptian in a restricted marine basin: El Pui section, Organyà Basin, south-central Pyrenees. – *Chemical Geology*, 372, 12-32.
29. Savelieva, J., Feodorova, A., Shurekova, O., Arkadiev, V. 2014. Integrated paleontological characteristics (ammonites, ostracods, foraminifers, dinocysts) of the Berriasian deposits of Central Crimea. – *Volumina Jurassica*, 12, 1, 129-162.
30. Asadi, A., Fard, M.M., Vaziri, S.H., Rad, M.Y. 2015. Systematic Palaeontology Albian Ammonites of Kazhdumi Formation in Khartang Section, East of Bushehr (Zagros Zone). – *Indian Journal of Natural Sciences*, 5, 30, 1-11.
31. Bover-Arnal, T., Pascual-Cebrian, E., Skelton, P., Gili, E., Salas, R. 2015. Patterns in the distribution of Aptian rudists and corals within a sequence-stratigraphic framework (Maestrat Basin, E Spain). – *Sedimentary Geology*, 321, 86-104.
32. Frau, C., Delanoy, G., Hourqueig, E. 2015. Le genre *Macroscaphites* Meek, 1876 (Ammonoidea) dans l’Aptien inférieur de Cassis-La Bédoule (Bouches-du-Rhône, France). Proposition d’un nouveau schéma zonal pour la série stratotypique. – *Revue de Paléobiologie, Genève*, 34, 1, 45-57.
33. Garcia-Mondejar, J., Owen, H., Fernandez-Mendiolla, P. A. 2015. Early Aptian sedimentary record and OAE 1a in Cuchia (Northern Spain): new data on facies and ammonite dating. – *N. Jb. Geol. Palaont. Abh.*, 276, 1, 1-26.
34. Lehmann, J. 2015. Chapter 15. Ammonite Biostratigraphy of the Cretaceous - An Overview. – In: *Ammonoid Paleobiology: From macroevolution to paleogeography. Topics in Geobiology*, 44, 403-429.
35. Masse, J.-P., Maksoud, S., Fenerci-Masse, M., Azar, D. 2015. Earliest Aptian Caprinidae (Bivalvia, Hippuritida) from Lebanon. – *Carnets de Géologie*, 15, 21-30.
36. Masse, J.-P., Fenerci - Masse, M. 2015. Evolution of the rudist bivalve Agriopleura Kühn (Radiolitidae, Hippuritida) from the Mediterranean region. – *Palaeontology*, 58, 1, 71-100.
37. Matsukawa, M., Obata, I. 2015. Barremian–Albian (Early Cretaceous) ammonite faunas of the Katsuragawa Basin, southwest Japan. – *Cretaceous Research*, 56, 25-52.
38. Meissner, P., Mutterlose, J., Bodin, S. 2015. Latitudinal temperature trends in the northern hemisphere during the Early Cretaceous (Valanginian–Hauterivian). – *Palaeogeography, Palaeoclimatology, Palaeoecology*, 424, 17-39.
39. Moulade, M., Tronchetti, G., Granier, B., Bronemann, A., Kuhnt, W., Lorenzen, J. 2015. High-resolution integrated stratigraphy of the OAE1a and enclosing strata

- from core drillings in the Bedoulian stratotype (Roquefort-La Bédoule, SE France). – *Cretaceous Research*, 56, 119-140.
40. Pandey, B., Pathak, D.B. 2015. Status of the indian early cretaceous ammonoid record in light of recent observations in the spiti valley, Himachal Himalaya. – *Himalayan Geology*, 36, 1, 1-8.
41. Pictet, A., Delanoy, G., Adatte, T., Spangenberg, J.E., Baudouin , C., Boselli, P., Boselli, M., Kindler, P., Föllmi, K.B. 2015. Three successive phases of platform demise during the early Aptian and their association with the oceanic anoxic Selli episode (Ardèche, France). – *Palaeogeography, Palaeoclimatology, Palaeoecology*, 418, 101-125.
42. Pszczółkowski, A. 2015. Aptian foraminiferal stratigraphy and Nannoconus assemblages from the Kopka section (Western Tatra Mountains, Poland). – *Annales Societatis Geologorum Poloniae*, 85, 1, 123-138.
43. Reitner, J., Blumenberg, M., Walliser, E.-O., Schäfer, N., Duda, J.-P. 2015. Methane-derived carbonate conduits from the late Aptian of Salinac (Marne Bleues, Vocontian Basin, France): Petrology and biosignatures. – *Marine and Petroleum Geology*, 66, 3, 641-652.
44. Аркадиев, В., Гужиков, А., Савельева, Ю., Федорова, А., Шурекова, О., Багаева, М., Грищенко, В., Маникин, А. 2015. Новые данные по био- и магнитостратиграфии разреза верхнего берриаса „Заводская балка“ (Восточный Крым, Феодосия). – *Вестн. Санкт-Петербургского университета*, 7, 4, 4-36.
45. Frau, C., Delanoy, G., Masse, J.-P., Lanteaume, C., Tendil, A.J.B. 2016. New Heterceratidae (Ammonoidea) from the late Barremian deepening succession of Marseille (Bouches-du-Rhôre, France). – *Acta Geologica Polonica*, 66, 2, 205-225.
46. Futukami, M., Haggart, J.W. 2016. Early Albian (Early Cretaceous) douvilleiceratid ammonites from Haida Gwaii, British Columbia, Canada. – *Journal of Paleontology*, 90, 1, 43-58.
47. Hoedemaeker, P.J., Janssen, N.M.M., Casellato, C.E., Gardin, S., Reháková, D., Jamrichová, M. 2016. Jurassic/Cretaceous boundary in the Río Argos succession (Caravaca, SE Spain). – *Revue de Paleobiologie*, 335, 1, 111-247.
48. Seyed-Emami, K., Wilmsen, M. 2016. Leymeriellidae (Cretaceous ammonites) from the lower Albian of Esfahan and Khur (Central Iran). – *Cretaceous Research*, 60, 78-90.
49. Arnaud, H., Arnaud-Vanneau, A., Godet, A., Adatte, T., Massonnat, G. 2017. Barremian platform carbonates from the eastern Vercors Massif, France: Organization of depositional geometries. – *AAPG Bulletin*, 101, 4, 485-493.
50. Frau, C., Pictet, A., Spangenberg, J.E., Masse, J.-P., Tendil, A.J.B., Lanteaume, C. 2017. New insights on the age of the post-Urgonian marly cover of the Apt region (Vaucluse, SE France) and its implications on the demise of the North Provence carbonate platform. – *Sedimentary Geology*, 359, 44-61.
51. Masse, J.-P., Fenerci-Masse, M. 2017. Taxonomy and stratigraphy of late Barremian-Albian species of Horiopleura Douvillé (Hippuritida, Polyconitidae) of the

- Mediterranean and southwestern Asian regions. – *Cretaceous Research*, 76, 53-80.
52. Pictet, A., Delanoy, G. 2017. The chabasrt formation:A newly defined stratigraphic unit of late early Aptian age in the southern Ardèche, SE France. – *Archives des Sciences*, 69, 1, 3-27.
 53. Socorro, J., Maurrasse, F.J.-M.R., Sanchez-Hernandez, Y. 2017. Characterization of the negative carbon isotope shift in segment C2, its global implications as a harbinger of OAE1a. – *Science China Earth Sciences*, 60, 1, 30-43.
 54. Ayoub-Hannaa, W., Radulović, B., Fürsich, F., Vasić, N., Radulović, V.J. 2018. Late Albian ammonites from Koraćica (Kosmaj Mountain, central Serbia) and their biostratigraphic implications. – *Cretaceous Research*, 85, 280-308.
 55. Baudouin, C., Delanoy, G., Bournaud, G., Gonnet, R. 2018. Heteroceras gracile sp. Nov., a new species of heteroceras orbigny, 1849, from the upper barremian of morteiron (alpes de haute-provence, France). – *Carnets de Géologie*, 18, 6, 155-165.
 56. Frau, C., Masse, J.-P., Fenerci-Masse, M., Tendil, A.J.B., Pictet, A., Lanteaume, C. 2018. Is strontium-isotope stratigraphy a reliable tool for dating shallow-marine platformcarbonates at the barremian-aptian transition? Reviewofwestern tethyan case studies. – *Carnets de Géologie*, 18, 5, 139-154.
 57. Futakami, M. 2018. Aptian ammonite fauna from the Yezo Group of the Urakawa area in Hokkaido, Japan. – *Cretaceous Research*, 89, 224-234.
 58. Futakami, M., Haggart, J.W. 2018. Douvilleiceratid ammonites from the lower to middle Albian (Lower Cretaceous) Yezo Group of Hokkaido, Japan, and a revision of the genus Douvilleiceras. – *Cretaceous Research*, 88, 273-292.
 59. Masse, J.-P., Fenerci-Masse, M. 2018. Taxonomy and stratigraphy of Early Cretaceous species of Debrunia Masse and Fenerci-Masse (Hippuritida, Monopleuridae) of the Mediterranean region. — *Cretaceous Research*, 84, 32-61.
 60. Obata, I., Matsukawa, M. 2018. Aptian and Albian ammonites of the Miyako Group, Japan: (Lower Cretaceous ammonites of the Miyako Group, Part 11). – *Cretaceous Research*, 88, 227-272.

Kolodziej, B., Ivanov, M., **Idakieva, V.** 2012. Prolific development of pachytheocalines in Late Barremian, Bulgaria: Coral taxonomy and sedimentary environment. – *Annales Societatis Geologorum Poloniae*, 82, 291-330.

цитира се в:

1. Baron-Szabo, R. C. 2014. Scleractinian Corals from the Cretaceous of the Alps and Northern Dinarides with remarks on related taxa. – *Abh. Geol. B.-A.*, 68, 296 p., Vienna.
2. Löser, H. 2014. Revision of the Cretaceous coral family Agatheliidae. - *Neues Jahrbuch für Geologie und Paläontologie - Abhandlungen*, 273, 3, 299-318.
3. Gretz, M., Lathuilière, B., Martini, R . 2015. A New Coral with Simplified Morphology from the Oldest Known Hettangian (Early Jurassic) Reef in Southern France. – *Acta Palaeontologica Polonica*, 60, 2, 277-286.

4. Löser, H., Arias, C., Vilas, L. 2015. Aptian-Albian coral fauna from the Sierra del Carche (Prebetic, Murcia, southern Spain). – *Spanish Journal of Paleontology*, 30, 1, 43-64.
5. Löser, H. 2016. The Cretaceous corals from the Bisbee Group (Sonora, Mexico; Late Barremian - Early Albian): suborder Heterocoeniina – *Paleontologia Mexicana*, 5, 41-51.
6. Melnikova, G. K., Roniewicz, E. 2017. Early Jurassic corals with dominating solitary growth forms from the Kasamurg Mountains, Central Asia. – *Palaeoworld*, 26, 1, 124-148.
7. Dew, R.E.C., King, R., Collins, A.S., Morley, C.K., Arboit, F., Glorie, S. 2018. Stratigraphy of deformed permian carbonate reefs in Saraburi Province, Thailand. – *Journal of the Geological Society*, 175, 1, 163-175.

Ivanov, M., Idakieva, V. 2013. Lower Aptian ammonite biostratigraphy and potential for further studies of OAE 1a in Bulgaria. – *Cretaceous Research*, 39, 47-69.

цитира се в:

1. Delanoy, G., Moreno-Bedmar, J. A., Ruiz, J. J., Tolós Llädser, D. 2013. *Xerticeras* gen. nov., a new genus of micromorphic heteromorph ammonite (Ancyloceratina, Ancyloceratidae) from the lower Aptian of Spain. – *Carnets de Geologie*, 89-103.
2. Lehmann, J. 2013. Aptian and Albian (Early Cretaceous) ammonites from glacial erratics of the Hamburg area, North Germany. – *Neues Jahrbuch für Geologie und Paläontologie Abhandlungen*, 270, 1, 69-82.
3. Moreno-Bedmar, J. A., Barragán, R., Delanoy, G., Company, M., Salas, R. 2014. Review of the early Aptian (Early Cretaceous) ammonoid species *Deshayesites deshayesi* (d'Orbigny, 1841). – *Cretaceous Research*, 51, 341-360.
4. Михайлова, И., Барабошкин, Е., Шумилкин, И. 2014. Уникальные находки раннеаптских гегероморфных аммонитов Ульяновского Поволжье (Русская плита). – В: *Меловая система России и Ближнего Зарубежья: Проблемы стратиграфии и палеогеографии. Сборник научных трудов* (ред. Е. Барабошкин и др.). Владивосток, Дальнаука, 220-222.
5. Ciorniei, A. 2015. On the so-called “Kriva Reka type” of Ludogorie chert: a petrographic perspective from the Upper Palaeolithic sites in the Giurgiu-Călărași area (southern Romania) – *Studii de Preistorie*, 12, 31-80.
6. Erba, E., Duncan, R. A., Bottini, C., Tiraboschi, D., Weissert, H., Jenkyns, H., Malinverno, A. 2015. Environmental consequences of Ontong Java Plateau and Kerguelen Plateau volcanism. – *Geological Society of America, Spec. Publ.*, 511, 271-303.
7. Frau, C., Delanoy, G., Hourqueig, E. 2015. Le genre *Macroscaphites* Meek, 1876 (Ammonoidea) dans l'Aptien inférieur de Cassis-La Bédoule (Bouches-du-Rhône, France). Proposition d'un nouveau schéma zonal pour la série stratotypique. – *Revue de Paléobiologie, Genève*, 34, 1, 45-57.

8. Garcia-Mondejar, J., Owen, H., Fernandez-Mendiolla, P. A. 2015. Early Aptian sedimentary record and OAE 1a in Cuchia (Northern Spain): new data on facies and ammonite dating. – *N. Jb. Geol. Palaont. Abh.*, 276, 1, 1-26.
9. Lehmann, J., Ifrim, Ch., Bulot, L., Frau, C. 2015. Chapter 9. Paleobiogeography of Early Cretaceous Ammonoids. *Ammonoid Paleobiology: From macroevolution to paleogeography. Topics in Geobiology*, 44, 229-257.
10. Frau, C., Delanoy, G., Masse, J.-P., Lanteaume, C., Tendil, A.J.B. 2016. New Heteroceratidae (Ammonoidea) from the late Barremian deepening succession of Marseille (Bouches-du-Rhône, France). – *Acta Geologica Polonica*, 66, 2, 205-225.
11. Baudouin, C., Delanoy, G., Bournaud, G., Gonnet, R. 2018. Heteroceras gracile sp. Nov., a new species of heteroceras orbigny, 1849, from the upper barremian of morteiron (alpes de haute-provence, France). – *Carnets de Géologie*, 18, 6, 155-165.
12. Bersac, S., Bert, D. 2018. Revision of the lower Aptian (Lower Cretaceous) ammonite species *Cheloniceras cornuelianum* (d'Orbigny, 1841). – *Annales de Paleontologie*, 104, 1, 45-70.
13. Frau, C., Bulot, L.G., Delanoy, G., Moreno-Bedmar, J.A., Masse, J.-P., Tendil, A.J.B., Lanteaume, C. 2018. The Aptian GSSP candidate at Gorgo a Cerbara (Central Italy): An alternative interpretation of the bio-, litho- and chemostratigraphic markers. – *Newsletters on Stratigraphy*, 51, 3, 311-326.

Reboulet, S., Szives, O., Aguirre-Urreta, B., Barragán, R., Company, M., Idakieva, V., Ivanov, M., Kakabadze, M.V., Moreno-Bedmar, J.A., Sandoval, J., Baraboshkin, E.J., Çaglar, M.K., Fözy, I., González-Arreola, C., Kenjo, S., Lukeneder, A., Raisossadat, S.N., Rawson, P.F., Tavera, J.M. 2014. Report on the 5th International Meeting of the IUGS Lower Cretaceous Ammonite Working Group, the “Kilian Group” (Ankara, Turkey, 31st August 2013). – *Cretaceous Research*, 50, 126-137.

цитира се в:

1. Clavel, B., Charollais, J., Busnardo, R., Granier, B., Conrad, M., Desjacques, P., Metzger, J. 2014. La plate-forme carbonatée urgonienne (Hauterivien supérieur – Aptien inférieur) dans Sud-Est de la France et Suisse: a synthèse. – *Archives des Sciences*, 67, 1-97.
2. Guzhikov, A., Bagaeva, M., Arkadiev, V. 2014. Magnetostratigraphy of the Upper Berriasian “Zavodskaya balka” section (East Crimea, Feodosiya). – *Volumina Jurassica*, 12, 1, 175-184.
3. Platonov, E., Lakova, I., Petrova, S., Arkadiev, V. 2014. Tithonian and Lower Berriasian calpionellid against ammonite biostratigraphy of the Dvuyakornaya Formation in Eastern Crimea. – *Geologica Balcanica*, 43, 1-3, 63-76.
4. Savelieva, J., Feodorova, A., Shurekova, O., Arkadiev, V. 2014. Integrated paleontological characteristics (ammonites, ostracods, foraminifers, dinocysts) of the Berriasian deposits of Central Crimea. – *Volumina Jurassica*, 12, 1, 129-162.

5. Arkadiev, V., Guzhikov, A., Savelieva, J., Feodorova, A., Shurekova, O., Bagaeva, M., Grishchenko, V., Manikin, A. 2015. New data on bio- and magnitostratigraphy on the Upper Berriasian section “Zavodskaya Balka” (Eastern Crimea, Feodosiya). – In: *International Scientific Conference on the Jurassic/Cretaceous boundary*. Togliatti, Kassandra, 8-14.
6. Bersac, S., Bert, D. 2015. Two ammonite species under the same name: Revision of *Deshayesites deshayesi* (d'Orbigny, 1841) based on topotype material (Lower Aptian, Lower Cretaceous, Northeast of France). – *Annales de Paléontologie*, 101, 4, 265-294.
7. Bover-Arnal, T., Pascual-Cebrian, E., Skelton, P., Gili, E., Salas, R. 2015. Patterns in the distribution of Aptian rudists and corals within a sequence-stratigraphic framework (Maestrat Basin, E Spain). – *Sedimentary Geology*, 321, 86-104.
8. Clement, A. 2015. A review of the species of the genus *Hemidiadema* AGASSIZ, 1846 (Euechinoidea, Camaradonta, Glyphocyphidae), from the Aptian (Lower Cretaceous) of Spain. – *Carnets de Géologie*, 15, 279-329.
9. Garcia-Mondejar, J., Owen, H., Fernandez-Mendiola, P. A. 2015. Early Aptian sedimentary record and OAE 1a in Cuchia (Northern Spain): new data on facies and ammonite dating. – *N. Jb. Geol. Paläont. Abh.*, 276, 1, 1-26.
10. Krische, O., Gawlick, H.-J. 2015. Age and significance of Lower Cretaceous mass flows: Ischl Breccia revisited (Rossfeld Formation, Northern Calcareous Alps, Austria). – *Austrian Journal of Earth Sciences*, 108, 2, 128-150.
11. Moulade, M., Tronchetti, G., Granier, B., Bronemann, A., Kuhnt, W., Lorenzen, J. 2015. High-resolution integrated stratigraphy of the OAE1a and enclosing strata from core drillings in the Bedoulian stratotype (Roquefort-La Bédoule, SE France). – *Cretaceous Research*, 56, 119-140.
12. Pandey, B., Pathak, D.B. 2015. Status of the Indian early cretaceous ammonoid record in light of recent observations in the Spiti valley, Himachal Himalaya. – *Himalayan Geology*, 36, 1, 1-8.
13. Pictet, A., Delanoy, G., Adatte, T., Spangenberg, J.E., Baudouin, C., Boselli, P., Boselli, M., Kindler, P., Föllmi, K.B. 2015. Three successive phases of platform demise during the early Aptian and their association with the oceanic anoxic Selli episode (Ardèche, France). – *Palaeogeography, Palaeoclimatology, Palaeoecology*, 418, 101-125.
14. Riccardi, A. 2015. Remarks on the Tithonian-Berriasian ammonite biostratigraphy in west central Argentina. – *Volumina Jurassica*, 13, 2, 23-52.
15. Schlagintweit, F., Scott, R. W. 2015. *Voloshinoides sonorensis* n. sp. (Cretaceous benthic foraminifera): A potential lower Albian marker of shallow-water carbonates in northern Mexico. – *Cretaceous Research*, 52, 206-212.
16. Zell, P., Stinnesbeck, W., Beckmann, S., Adatte, T., Hering, F. 2015. The Berriasian–Valanginian (Early Cretaceous) boundary transition at Santa Catarina Tícuá, Oaxaca state, southern Mexico: Ammonites, bivalves, calponellids and their paleobiogeographic significance. – *Journal of South American Earth Sciences*, 62, 33-57.
17. Аркадиев, В. 2015. Новые находки представителей рода *Riasanites* (Ammonoidea) в верхнем берриасе Восточного Крыма. – В: *Современные проблемы*

изучения головоногих моллюсков. Морфология, систематика, эволюция, экология и биостратиграфия. Материалы совещания, 4. М., ПИН РАН, 109-111.

18. Аркадиев, В., Гужиков, А., Савельева, Ю., Федорова, А., Шурекова, О., Багаева, М., Грищенко, В., Маникин, А. 2015. Новые данные по био- и магнитостратиграфии разреза верхнего берриаса „Заводская балка“ (Восточный Крым, Феодосия). – *Вестн. Санкт-Петербургского университета*, 7, 4, 4-36.
19. Аркадиев, В., В. 2016. Стратиграфическая схема берриасского яруса Горного Крыма. – В: Общая стратиграфическая шкала России и методические проблемы разработки региональных стратиграфических шкал России. Материалы межведомственного рабочего совещания, Санкт-Петербург 17-20 октября, 2016. Санкт-Петербург, Изд. ВСЕГЕИ, 11-12.
20. Аркадиев, В., Гужиков, А., Грищенко, В., Маникин, А., Савельева, Ю., Федорова, А., Шурекова, О. 2016. Граница берриаса-валанжина в Горном Крыме. – В: Меловая системы России и ближнего зарубежья: проблемы стратиграфии и палеогеографии. Сб. науч. Трудов (ред. Е. Ю. Барабошкина). Симферополь, Издательский дом Черноморпресс, 31-33.
21. Аркадиев, В. В., Гужиков, А. Ю. 2016. Био- и магнитостратиграфическое расчленение берриасского яруса Горного Крыма: современное состояние, основные проблемы и перспективы. – В: Меловая системы России и ближнего зарубежья: проблемы стратиграфии и палеогеографии. Сб. науч. Трудов (ред. Е. Ю. Барабошкина). Симферополь, Издательский дом Черноморпресс, 34-37.
22. Arkadiev, V.V., Guzhikov, A.Y., Grishchenko, V.A., Manikin, A.G., Savelieva, J.N., Feodorova, A.A., Shurekova, O.V. 2016. Berriasian-Valanginian boundary in the Crimean Mountains. – XIIth Jurassic Conference, Workshop of the ICS Berriasian Group and IGSP 632, Field Trip Guide and Abstracts Book, Smolenice, Slovakia, April 19-23. Bratislava, Earth Science Institute, Slovak Academy of Sciences, 79-82.
23. Arkadiev, V.V., Grishchenko, V.A., Guzhikov, A.Y., Manikin, A.G., Savelieva, Y.N., Feodorova, A.A., Shurekova, O.V. 2016. Ammonites and magnetostratigraphy of the Berriasian-Valanginian boundary deposits from eastern Crimea. – *Geologica Carpathica*, 68, 6, 505-516.
24. Bogdanova, T.N., Mikhailova, I.A. 2016. Middle Aptian biostratigraphy and ammonoids of the Northern Caucasus and Transcaspia. – *Paleontological Journal*, 50, 8, 725-933.
25. Cataldo, C.S., Lazo, D.G. 2016. Taxonomy and paleoecology of a new gastropod fauna from dysoxic outer ramp facies of the Lower Cretaceous Agrio Formation, Neuquén Basin, west-central Argentina. – *Cretaceous Research*, 57, 165-189.
26. Frau, C., Delanoy, G., Masse, J.-P., Lanteaume, C., Tendil, A. J. B. 2016. New Heteroceratidae (Ammonoidea) from the late Barremian deepening succession of Marseille (Bouches-du-Rhône, France). – *Acta Geologica Polonica*, 66, 2, 205-225.
27. Grădinaru, M., Lazar, I., Bucur, I.I., Grădinaru, E., Săsăran, E., Ducea, M.N., Andrașanu, A. 2016. The Valanginian history of the eastern part of the Getic

- Carbonate Platform (Southern Carpathians, Romania): Evidence for emergence and drowning of the platform. – *Cretaceous Research*, 66, 11-42.
28. Maalaoui, K., Zargouni, F. 2016. The lower and middle Berriasian in Central Tunisia: Integrated ammonite and calpionellid biostratigraphy of the Sidi Kralif Formation. – *Acta Geologica Polonica*, 66, 1, 43-58.
29. Pictet, A., Delamette, M., Matrion, B. 2016. The Perte-du-Rhône Formation, a new Cretaceous (Aptian-Cenomanian) lithostratigraphic unit in the Jura mountains (France and Switzerland). – *Swiss Journal of Geosciences*, 109, 2, 221-240.
30. Robert, R.W., Wang, Y., Hojnacki, R., Wang, Y., Lai, X. 2016. Albian rudist biostratigraphy (Bivalvia), comanche shelf to shelf margin, texas. [Biostratigraphie de l'Albien au moyen des rudistes (Bivalves), de la plate-forme de Comanche à sa bordure (Texas)]. – *Carnets de Géologie*, 16, 21, 513-541
31. Savelieva, Y.N., Shurekova, O.V., Feodorova, A.A., Arkadiev, V.V., Grishchenko, V.A., Guzhikov, A.Y., Manikin, A.G. 2016. Microbiostratigraphy of the berriasi-an-valanginian boundary in eastern crimea: Foraminifers, ostracods, organic-walled dinoflagellate cysts. – *Geologica Carpathica*, 68, 6, 517-529.
32. Scott, R. W., Wang, Y., Hojnacki, R., Wang, Y., Lai, X. 2016. Albian rudist biostratigraphy (Bivalvia), Comanche shelf to shelf margin, Texas. – Carnets de Géologie, 16 (21), 513-541.
33. Schlagintweit, F., Rosales, I., Najarro, M. 2016. Glomospirella cantabrica n. sp., and other benthic foraminifera from Lower Cretaceous Urgonian-type carbonates of Cantabria, Spain: Biostratigraphic implications. – *Geologica Acta*, 14, 2, 113-138.
34. Schwarz, E., Spalletti, L. A., Veiga, G. D., Fanning, C. M. 2016. First U-Pb SHRIMP age for the Pilmatué Member (Agrio Formation) of the Neuquén Basin, Argentina: Implications for the Hauterivian lower boundary. – *Cretaceous Research*, 58, 223-233.
35. Strasser, A., Charollais, J., Conrad, M.A., Clavel, B., Pictet, A., Mastrangelo, B. 2016. The Cretaceous of the Swiss Jura Mountains: an improved lithostratigraphic scheme. – *Swiss Journal of Geosciences*, 109, 2, 201-220.
36. Vašíček, Z., Klein, J., Janssen, N.M.M. 2016. Ontogeny and variability in ribbing of Late Valanginian lamellaptychi (Ammonitina). – *Annales Societatis Geologorum Poloniae*, 86, 1, 17-28.
37. Vašíček, Z., Klein, J., Janssen, N.M.M. 2016. Aptychi from the Berriasian /Valanginian (France and Spain): New stratigraphical and morphological details – *Annales Societatis Geologorum Poloniae*, 86, 3, 265-272.
38. Vašíček, Z., Reháková, D., Skupien, P. 2016. Some perisphinctoid ammonites of the Štramberk Limestone and their dating with associated microfossils (Tithonian to Lower Berriasian, Outer Western Carpathians, Czech Republic). – *Geologica Carpathica*, 68, 6, 583-605.
39. Vašíček, Z., Skupien, P. 2016. Tithonian and Early Berriasian ammonites from the Štramberk Limestone of the Kotouc Quarry near Štramberk (Outer Western Carpathians). – XIIth Jurasic Conference, Workshop of the ICS Berriasian Group and IGSP 632, Field Trip Guide and Abstracts Book, Smolenice, Slovakia, April 19-23. Bratislava, Earth Science Institute, Slovak Academy of Sciences, 115-118.

40. Vašíček, Z., Skupien, P. 2016. Tithonian–early Berriasian perisphinctoid ammonites from the Štramberk Limestone at Kotouč Quarry near Štramberk, Outer Western Carpathians (Czech Republic). – *Cretaceous Research*, 64, 12-29.
41. Agirrezabala, L.M., López-Horgue, M.A. 2017. Environmental and ammonoid faunal changes related to Albian Bay of Biscay opening: Insights from the northern margin of the Basque-Cantabrian Basin. – *Journal of Sea Research*, 130, 36-48.
42. Brovina, E.A. 2017. Planktonic foraminiferal biostratigraphy of the Upper Barremian and Aptian of Crimea. – *Stratigraphy and Geological Correlation*, 25, 5, 515-531.
43. Frau, C., Bulot, L.G., Delanoy, G. 2017. New and poorly known Aptian Acrioceratidae (Acrioceratidae, Ammonoidea) from Cassis - Roquefort-la-Bédoule (Bouches-du-Rhône, France). – *Neues Jahrbuch für Geologie und Palaontologie - Abhandlungen*, 283, 3, 335-346.
44. Frau, C., Pictet, A., Spangenberg, J.E., Masse, J.-P., Tendil, A.J.B., Lanteaume, C. 2017. New insights on the age of the post-Urgonian marly cover of the Apt region (Vaucluse, SE France) and its implications on the demise of the North Provence carbonate platform. – *Sedimentary Geology*, 359, 44-61.
45. Luber, T.L., Bulot, L.G., Redfern, J., Frau, C., Arantegui, A., Masrour, M. 2017. A revised ammonoid biostratigraphy for the Aptian of NW Africa: Essaouira-Agadir Basin, Morocco. – *Cretaceous Research*, 79, 12-34.
46. Milla Carmona, P.S., Lazo, D.G., Soto, I.M. 2017. Taxonomy of the bivalve *Ptychomya* in the Lower Cretaceous of the Neuquén basin (west-central Argentina). – *Papers in Palaeontology*, 3, 2, 219-240.
47. Mitta, V.V. 2017. The ryazanian (Basal lower cretaceous) standard zonation: State of knowledge and potential for correlation with the Berriasian primary standard. – *N. Jb. Geol. Palaont. Abh.*, 286, 2, 141-157.
48. Pandey, B., Pathak, D. B. 2017. Biostratigraphic implication of *Olcostephanus* Neumayr, 1875 (Ammonoidea) from the Lower Cretaceous Giomal Formation, Spiti Valley, Tethys Himalaya, India. – *Cretaceous Research*, 70, 244-251.
49. Parent, H., Schweigert, G., Scherzinger, A., Garrido, A.C. 2017. Zapaliinae, a new subfamily of Tithonian–Berriasian ataxioceratid ammonites. – *PalZ*, 91, 4, 507-511.
50. Pictet, A., Delanoy, G. 2017. The chabasrt formation: A newly defined stratigraphic unit of late early Aptian age in the southern Ardèche, SE France. – *Archives des Sciences*, 69, 1, 3-27.
51. Rogov, M. A., Ershova, V. B., Shchepetova, E. V., Zakharov, V.A., Pokrovsky, B. G., Khudoley, A. K. 2017. Earliest Cretaceous (late Berriasian) glendonites from Northeast Siberia revise the timing of initiation of transient Early Cretaceous cooling in the high latitudes. – *Cretaceous Research*, 71, 102-112.
52. Tajika, A., Kürsteiner, P., Pictet, A., Lehmann, J., Tschanz, K., Jattiot, R., Klug, Ch. 2017. Cephalopod associations and palaeoecology of the Cretaceous (Barremian-Cenomanian) succession of the Alpstein, northeastern Switzerland. – *Cretaceous Research*, 70, 15-54.
53. Vašíček, Z., Malek, O. 2017. Pseudothurmanniid ammonites from quarries near lietavská lúčka and their stratigraphical significance (Late Hauterivian, central western Carpathians, Slovakia) – *Geological Quarterly*, 61, 3, 613-631.

54. Vennari, V.V., Pujana, I. 2017. Finding of two new radiolarian associations calibrated with ammonoids in the Vaca Muerta Formation (Late Jurassic–Early Cretaceous), Neuquén Basin, Argentina. – *Journal of South American Earth Sciences*, 75, 35-50.
55. Audo, D., Charbonnier, S., Krobicki, M. 2018. Rare fossil polychelid lobsters in turbiditic palaeoenvironments. – *Journal of Systematic Palaeontology*, 16, 12, 1017-1036.
56. Ayoub-Hannaa, W., Radulović, B., Fürsich, F., Vasić, N., Radulović, V.J. 2018. Late Albian ammonites from Koraćica (Kosmaj Mountain, central Serbia) and their biostratigraphic implications. – *Cretaceous Research*, 85, 280-308.
57. Baudouin, C., Delanoy, G., Bournaud, G., Gonnet, R. 2018. Heteroceras gracile sp. Nov., a new species of heteroceras orbigny, 1849, from the upper barremian of morteiron (alpes de haute-provence, France). – *Carnets de Géologie*, 18, 6, 155-165.
58. Bert, D., Bersac, S., Juárez-Ruiz, J., Hughes, Z. 2018. Size reduction and ornamental oscillation within a Barremian lineage of giant heteromorphic ammonites (Early Cretaceous, northwestern Tethyan margin). – *Cretaceous Research*, 88, 173-186.
59. Bersac, S., Bert, D. 2018. Revision of the lower Aptian (Lower Cretaceous) ammonite species *Cheloniceras cornuelianum* (d'Orbigny, 1841). – *Annales de Paleontologie*, 104, 1, 45-70.
60. Bulot, L.G., Frau, C., Pictet, A. 2018. Revision of *Toxoceratoides royeri* (d'Orbigny, 1842) and its bearing on the systematics of the Aptian Acroceratidae Vermeulen, 2004 (Ammonoidea, Ancyloceratina, Ancyloceratoidea). – *Cretaceous Research*, 88, 187-196.
61. Frau, C., Masse, J.-P., Fenerci-Masse, M., Tendil, A.J.B., Pictet, A., Lanteaume, C. 2018. Is strontium-isotope stratigraphy a reliable tool for dating shallow-marine platformcarbonates at the barremian-aptian transition? Reviewofwestern tethyan case studies. – *Carnets de Géologie*, 18, 5, 139-154.
62. Frau, C., Tendil, A.J.B., Lanteaume, C., Masse, J.-P., Pictet, A., Bulot, L.G., Luber, T.L., Redfern, J., Borgomano, J.R., Léonide, P., Fournier, F., Massonnat, G. 2018. Late Barremian–early Aptian ammonite bioevents from the Urgonian-type series of Provence, southeast France: Regional stratigraphic correlations and implications for dating the peri-Vocontian carbonate platforms. – *Cretaceous Research*, 90, 222-253.
63. Futakami, M. 2018. Aptian ammonite fauna from the Yezo Group of the Urakawa area in Hokkaido, Japan. – *Cretaceous Research*, 89, 224-234.
64. Obata, I., Matsukawa, M. 2018. Aptian and Albian ammonites of the Miyako Group, Japan: (Lower Cretaceous ammonites of the Miyako Group, Part 11). – *Cretaceous Research*, 88, 227-272.
65. Toscano, A.G., Lazo, D.G., Luci, L. 2018. Taphonomy and paleoecology of lower cretaceous oyster mass occurrences from west-central Argentina and evolutionary paleoecology of gregariousness in oysters. – *Palaios*, 33, 6, 237-255.
66. Vašíček, Z., Skupien, P., Jagt, J.W.M. 2018. Current knowledge of ammonite assemblages from the Štramberk Limestone (Tithonian–lower Berriasian) at

Kotouč Quarry, Outer Western Carpathians (Czech Republic). – *Cretaceous Research*, 90, 185-203.

Dochev, D., **Idakieva, V.**, Ivanov, M., Velev, S., Bonev, K. 2017. Ammonite fauna from the Byers Peninsula, Livingston Island, South Shetland Islands, Antarctica. – *C. R. Acad. bulg. Sci.*, 70, 11, 1557-1566.

цитира се в:

1. Reboulet, S., Szives, O., Aguirre-Urreta, B., Barragán, R., Company, M., Frau, C., Kakabadze, M.V., Klien, J., Moreno-Bedmar, J.A., Lukeneder, A., Pictet, A., Ploch, I., Raisossadat, S.N., Vašiček, Z., Baraboshkin, E.J., Mitta, V.V. 2018. Report on the 6th International Meeting of the IUGS Lower Cretaceous Ammonite Working Group, the Kilian Group (Vienna, Austria, 20th August 2017). – *Cretaceous Research*, 91, 100-110.

**Общ брой цитати на публикациите (в периодични издания в България; в статии в международни и чужди периодични издания и в монографии):
169**