

## INTRODUCTION & AIMS

- Plant biotechnologies can support production of promising molecular scaffolds for design of anti-coronavirus agents.
- The therapeutic strategies that could be addressed involve different approaches, including virus-targeted, immunotherapy, etc.
- The aims of this study were to: (i) perform screening of research literature for potential modulators of coronavirus infections naturally-occurring in plants and (ii) prepare a virtual library of selected modulators.

## DATA & METHODS


- Data on naturally-occurring compounds of plant origin were retrieved from the NIH PubMed and PubChem systems (<https://www.ncbi.nlm.nih.gov/>).
- Analysis of the collected data was done based on the chemical scaffolds and the proposed mechanisms of action of the compounds.

## RESULTS: CORONAVIRUS-ORIENTED VIRTUAL LIBRARY OF PHYTOCHEMICALS (32 COMPOUNDS AND >130 RECORDS)


### 1. Source plants – compounds were found in species from 20 genera belonging to 18 families:

- Amaryllidaceae*
- Anacardiaceae*
- Apiaceae*
- Apocynaceae*
- Betulaceae*
- Brassicaceae*
- Celastraceae*
- Clusiaceae*
- Crassulaceae*
- Lamiaceae*
- Leguminosae*
- Moraceae*
- Paulowniaceae*
- Plantaginaceae*
- Rhamnaceae*
- Scrophulariaceae*
- Taxaceae*
- Theaceae*


### 2. Distribution of the compounds by chemical classes:




### 3. Experimental data – currently >130 records on 5 coronaviruses, 7 targets and 4 activity types:



3.1. Data distribution by studied coronavirus



3.2. Data distribution by molecular target



3.3. Data distribution by measured activity type

**Abbreviations:** HCoV 229E – Human Coronavirus 229E; MERS-CoV – Middle East Respiratory Syndrome Coronavirus; SARS-CoV – Severe Acute Respiratory Syndrome Coronavirus; PEDV – Porcine Epidemic Diarrhea Virus; TGEV – porcine Transmissible Gastroenteritis coronavirus; 3-CLpro – 3-Chymotrypsin-Like protease; PLpro – Papain-Like protease; S protein – Spike protein; CC<sub>50</sub> – 50% Cytotoxic Concentration; EC<sub>50</sub> – 50% Effective Concentration (antiviral concentration of 50% effectiveness, the concentration which achieved 50% inhibition of virus-induced cytopathic effects); IC<sub>50</sub> – 50% Inhibitory Concentration (the concentration that caused 50% loss of enzyme activity); K<sub>i</sub> – Inhibitory constant.

## CONCLUSIONS

- Chemical and biological data about 32 compounds naturally-occurring in plants and investigated for their potential activity against various coronaviruses (SARS-CoV, MERS-CoV, HCoV 229E, TGEV and PEDV), have been harvested and organized in a virtual library.
- The library is characterised by chemically diverse scaffolds of phenols, terpenes, and alkaloids and could serve as a **mechanistically justified, highly curated resource of naturally-occurring compounds** which could be subjects of further pathology-oriented *in silico* studies, relevant to the modulation of coronavirus infections (e.g. see Poster B&BE-3).

## ACKNOWLEDGEMENTS

The work is supported by the Bulgarian Ministry of Education and Science under the National Research Programme 'Young scientists and postdoctoral students' (grant number DCM # 577 / 17.08.2018).