National Recovery and Resilience Plan



Funded by the European Union NextGenerationEU



SOFIA UNIVERSITY -Marking Momentum For Innovation and Technological Transfer



OF THE REPUBLIC OF BULGARIA

NEW COMPOSITE MATERIALS FOR SELECTIVE DETERMINATION OF TOXIC FORMS OF CHEMICAL ELEMENTS IN ENVIRONMENTAL SAMPLES (GRANT Nº 70-123-469)

Newly designed organic-inorganic nanocomposite membrane for simultaneous determination and speciation analysis of chromium and manganese in water samples Penka Vasileva and Irina Karadjova

Head of the project: Assoc. Prof. Ivanka Dakova

Motivation and goals

Chromium is a relatively abundant element in the earth's crust, existing in the environment mainly as Cr(III) and Cr(VI) oxidation states, which have quite different biological activity, chemical behavior and toxic effects. Manganese is an essential element for humans and animals. The most prevalent oxidation states of manganese are Mn(II) and Mn(VII). Mn(II) is toxic to mitochondria in cells at high concentrations, whereas Mn(VII) is widely used as an oxidizing agent in synthesis procedures as well as in analytical chemistry and also as a disinfectant. Therefore, accurate information on the toxicity of Cr and Mn could be obtained by the development of analytical methods capable to determine not only the total Cr and Mn in the different environmental samples but also allowing determination of their species separately with sufficient precision and sensitivity.



Resu	lte
NG SU	

Sorption Isotherms and kinetics

Best fit: Langmuir isotherm model $C_e/q_e = C_e/Q_m + 1/(Q_m \times K_L)$



Direct determination of low levels of these two metal species in real samples appears to be a difficult task by the atomic absorption spectrometry, inductively coupled plasma-optical emission spectrometry, inductively coupled plasma-mass spectrometry, etc. due to some matrix interferences.

The main goals in this research were directed towards preparation of novel hybrid nanosorbent of membrane type (PVA-PEO-TEOS-AuNPs) and developing a procedure based on this simple solid phase extraction system for quantification of low levels of inorganic Mn and Cr species in different water samples. The analytical method is based on the experimental fact that Mn(II) and Cr(III) cations could be quantitatively retained on the PVA-PEO-TEOS-AuNPs membrane, whereas Mn(VII) and Cr(VI) oxyanions remained in the solution without retention.



- The organic polymers employed, poly(vinyl alcohol) (PVA) and poly(ethylene oxide) 400 (PEO), are renowned for their biocompatibility and non-toxicity. Tetraethoxysilane (TEOS) served as a precursor for the inorganic polymer silica.
- A solution containing PVA, PEO, and pre-hydrolyzed TEOS was combined with pre-synthesized starch-coated AuNPs to form a cast hybrid nanocomposite membrane.
- The characterization of both the gold nanoparticles and the hybrid membrane was conducted using UV-visible spectroscopy,, transmission and scanning electron microscopy, DSC measurements.
- The extraction efficiency of PVA-PEO-TEOS-AuNPs membrane toward Cr(III) and Mn(II) was investigated under various pH in batch mode.
- The adsorption behavior of Cr(III) and Mn(II) was analyzed by four isotherm (Langmuir, Freundlich, Temkin, Dubinin–Radushkevich (DRK)) and three kinetic (pseudo-first order, pseudo-second order, sigmoidal) models.

Quantitate data from DSC measurements

Sample	Composition	Temperature (°C)		ΛH	Degree of
		Τ _g	T _m	(J g ⁻¹)	crystallinity X _c (%)
PVA membrane	PVA 100 %	87.5	224.2	65.074	46.95
PVA/PEO membrane	PVA 87,5 % PEO 2,5 % PEO:PVA = 0.14	95.0	218.9	45.678	37.66
PVA/PEO/TEOS membrane	PEO:PVA = 0.14 PVA 70.0 %	95.0	213.9	9.776	10.08
PVA/PEO/TEOS/ AuNPs membrane	PEO 10.0 % TEOS (as SiO ₂) 20 %	104.0	213.4	26,277	27.08



Conclusions

- Completely green method for the synthesis of hybrid nanocomposite membranes loaded with AuNPs is proposed; the synthesis procedure is with very good repeatability and the membranes obtained were with excellent uniformity, high mechanical strength and allowed easy manipulation.
- Selective adsorption of Cr(III) and Mn(II) occurred on the membrane surface within 12 hours at optimum pH of 8.5, while Cr(VI) and Mn(VII) remained in the effluent solution and were quantified using ETAAS; subsequent to dissolving the membrane in aqua regia, Cr(III) and Mn(II) concentrations were measured using ETAAS.
- The adsorption data exhibited the best fit with the Langmuir model, while the kinetics followed a sigmoidal model.
- ☆ A simple SPE extraction procedure is developed for selective determination of Cr(VI) and Mn(VII), based on preliminary quantitative retention of Cr(III) and Mn(II) on hybrid polymer membrane loaded with gold nanoparticles.
- The determination limits achieved for toxic species Cr(VI) and Mn(VII) fulfil the requirements for their monitoring in surface water bodies under the demand of Water Frame Directive.
- The developed analytical method was applied to the simultaneous speciation of chromium and manganese in river water samples from national monitoring points.

CONTRACT BG-RRP-2.004-0008 FOR THE FINANCING OF PROJECT "SOFIA UNIVERSITY - MARKING MOMENTUM FOR INNOVATION AND TECHNOLOGICAL TRANSFER"

UNDER PILLAR 2 "ESTABLISHING A NETWORK OF RESEARCH HIGHER EDUCATION INSTITUTIONS IN BULGARIA", COMPONENT "INNOVATIVE BULGARIA" FROM

NATIONAL RECOVERY AND RESILIENCE PLAN PART OF THE PROGRAM TO ACCELERATE ECONOMIC RECOVERY AND TRANSFORMATION THROUGH SCIENCE AND INNOVATION